



# Whatman Polydisc™ GW In-Line Filter

Clearly superior for the  
filtration of ground water

The new Whatman Polydisc GW is designed for the preparation of ground water samples on-site or in the laboratory for the analysis of dissolved heavy metals. This 50 mm ready-to-use filter can free ground water samples of up to 200 mL from all dirt and soil particles both quickly and reliably – saving you time in your process.

## Features and Benefits

- **Large filter surface.** Filtration area of 20 cm<sup>2</sup> ensures rapid flow rates and higher filtrate yield per device.
- **Unique filter design.** High purity quartz fibre prefilter has a high loading capacity for increased throughput and reduced filtration time.
- **Certified for metal extractables.** Suitable for filtration procedures outlined in EPA Method 3005A and NEN Method 5744. Quartz prefilter manufactured from pretested fibers.
- **Easy to use.** Each device is individually packed and can be connected through the bag on-site to save time and reduce contamination.

## Applications

- Preparation of aqueous solutions for the analysis of dissolved heavy metals



Whatman®

## TECHNICAL SPECIFICATIONS

Filter Diameter	52mm
Effective Filter Area	20.4cm <sup>2</sup>
Dead Volume	220µL
Filling Volume	530µL
Membrane Type	0.45µm polyamide (Nylon)
Prefilter	100% quartz fibre
Housing	Polypropylene
Max Operating Pressure	4.5 bar
Connections	Tubing nozzle 6-14mm
Max Operating Temperature	80°C
Heavy Metal Content	Certified

## CATALOG ORDERING INFORMATION

Description	Membrane	Housing	Pore Size	Qty per Pack	Cat No.
Polydisc GW	Nylon/QF	PP	0.45µm	20	10 463 400
Polydisc GW	Nylon/QF	PP	0.45µm	50	10 463 401



## Whatman Quality

Whatman is a global leader in separations technology and is known in the scientific community for providing innovative Life Science products and solutions. Our instinct for simplification accelerates the rate of discovery, reduces costs and saves time. For more information visit [www.whatman.com](http://www.whatman.com).

Polydisc and Whatman are trademarks of the Whatman Group.

**North America** Whatman Inc  
200 Park Avenue, Suite 210  
Florham Park, NJ 07932 USA  
Tel: +1-973-245-8300  
Fax: 1-973-245-8329  
E-mail: [info@whatman.com](mailto:info@whatman.com)

**Europe** Whatman International Ltd  
Springfield Mill  
James Whatman Way  
Maidstone, Kent ME14 2LE UK  
Tel: + 44 (0)1622 676670  
Fax: + 44 (0)1622 677011  
E-mail: [information@whatman.com](mailto:information@whatman.com)

Whatman GmbH  
Hahnstrasse 3  
D-37586 Dassel  
Germany  
Tel: +49 5564 204 100  
Fax: +49 5564 204 306  
E-mail: [information@whatman.com](mailto:information@whatman.com)

**Japan** Whatman Japan KK  
JPR Ichigaya Building 6F  
4-7-15 Kudan-Minami  
Chiyoda-ku, Tokyo 102-0074, Japan  
Tel: +81 (0)3 5215 1240  
Fax: +81 (0)3 5215 1246  
E-mail: [japaninfo@whatman.com](mailto:japaninfo@whatman.com)

**Asia Pacific** Whatman Asia Pacific Pte Ltd  
171 Chin Swee Road  
#08-01 San Centre  
Singapore 169877  
Tel: +65 6534 0138  
Fax: +65 6534 2166  
E-mail: [wap@whatman.com](mailto:wap@whatman.com)

# Whatman®

Leaders in Separations Technology  
[www.whatman.com](http://www.whatman.com)